



P.C.B. LAYOUT



Soldering conditions:



Specifications:

- Impedance (100 MHz): see table "xxxxxx"
- Rated current: see table "xxxxxx" (temperature rise 20°C typ.)
- Resistance: see table "xxxxxx"
- Operating Temperature: -55°C to +125°C
- Packaging size: 4000 pcs. / reel

Compliance: RohS II (2011/65/EU)

tolerances	knitter-inductive	Product Data-sheet	2 08 08
			page 1/8
	drawn: D. Rauschert, 02/19	Bead	
	approved: C.Schmid, 02/19		
04/22, Add "20B405", dr	ICSBxxxxxB3SHyST22		
02/22, Add "60A705", dr			
03/19, Update: graphs, dr			
date: modification, name			

"xxxxxx"	"y"	Impedance (Ω) at 100MHz	DC Resistance (Ω) max.	Rated Current (mA) max.
708605	R	7	0,15	600
708615	R	7	0,15	600
109605	R	10	0,15	600
119605	R	11	0,15	600
309405	R	30	0,15	400
309415	R	30	0,15	400
309425	R	30	0,15	400
309435	R	30	0,15	400
609305	R	60	0,20	300
609315	R	60	0,15	300
609325	R	60	0,15	300
609335	R	60	0,15	300
809305	R	80	0,15	300
809315	R	80	0,15	300
809325	R	80	0,15	300
12A205	R	120	0,25	200
12A305	R	120	0,25	300
12A315	R	120	0,25	300
12A325	R	120	0,25	300
22A205	R	220	0,35	200
22A215	R	220	0,30	200
22A225	R	220	0,30	200
22A235	R	220	0,30	200
30A205	R	300	0,40	200
30A215	R	300	0,30	200
30A225	R	300	0,30	200
30A235	R	300	0,30	200
60A205	R	600	0,50	200
60A215	R	600	0,35	200
60A225	R	600	0,35	200
60A235	R	600	0,35	200
60A705	R	600	0,20	700

"y"	Impedance tolerance
R	$\pm 25\%$

Compliance: RohS II (2011/65/EU)

tolerances	knitter-inductive	Product Data-sheet	2 08 08
			page 2/8
	drawn: D. Rauschert, 02/19	Bead	
	approved: C.Schmid, 02/19		
04/22, Add "20B405", dr	Part Number	ICSBxxxxxxB3SHyST22	
02/22, Add "60A705", dr			
03/19, Update: graphs, dr			
date: modification, name			


"xxxxxx"	"y"	Impedance (Ω) at 100MHz	DC Resistance (Ω) max.	Rated Current (mA) max.
10B205	R	1000	0,60	200
10B215	R	1000	0,45	200
10B225	R	1000	0,45	200
10B235	R	1000	0,45	200
15B205	R	1500	0,45	200
20B205	R	2000	0,60	200
20B405	R	2000	0,50	400
22B205	R	2200	0,60	200
25B205	R	2500	0,60	200
27B205	R	2700	0,80	200

"y"	Impedance tolerance
R	$\pm 25\%$


Compliance: RohS II (2011/65/EU)

tolerances	knitter-inductive	Product Data-sheet	2 08 08
			page 3/8
	drawn: D. Rauschert, 02/19	Bead	
	approved: C.Schmid, 02/19		
04/22, Add "20B405", dr	Part Number	ICSBxxxxxxB3SHyST22	
02/22, Add "60A705", dr			
03/19, Update: graphs, dr			
date: modification, name			


ICSB708605B3SHRST22




ICSB708615B3SHRST22




ICSB109605B3SHRST22




ICSB119605B3SHRST22




ICSB309405B3SHRST22




ICSB309415B3SHRST22




ICSB309425B3SHRST22



ICSB309435B3SHRST22




ICSB609305B3SHRST22




Compliance: RohS II (2011/65/EU)

tolerances	knitter-inductive	Product Data-sheet	2 08 08
			page 4/8
	drawn: D. Rauschert, 02/19	Bead	
	approved: C.Schmid, 02/19		
04/22, Add "20B405", dr	Part Number	ICSBxxxxxB3SHyST22	
02/22, Add "60A705", dr			
03/19, Update: graphs, dr			
date: modification, name			


ICSB609315B3SHRST22




ICSB609325B3SHRST22




ICSB609335B3SHRST22




ICSB809305B3SHRST22




ICSB809315B3SHRST22




ICSB809325B3SHRST22




ICSB12A205B3SHRST22



ICSB12A305B3SHRST22




ICSB12A315B3SHRST22




Compliance: RohS II (2011/65/EU)

tolerances	knitter-inductive	Product Data-sheet	2 08 08
			page 5/8
	drawn: D. Rauschert, 02/19	Bead	
	approved: C.Schmid, 02/19		
04/22, Add "20B405", dr	Part Number	ICSBxxxxxB3SHyST22	
02/22, Add "60A705", dr			
03/19, Update: graphs, dr			
date: modification, name			


ICSB12A325B3SHRST22




ICSB22A205B3SHRST22




ICSB22A215B3SHRST22




ICSB22A225B3SHRST22




ICSB22A235B3SHRST22




ICSB30A205B3SHRST22




ICSB30A215B3SHRST22



ICSB30A225B3SHRST22




ICSB30A235B3SHRST22




Compliance: RohS II (2011/65/EU)

tolerances	knitter-inductive	Product Data-sheet	2 08 08
			page 6/8
	drawn: D. Rauschert, 02/19	Bead	
	approved: C.Schmid, 02/19		
04/22, Add "20B405", dr	Part Number	ICSBxxxxxB3SHyST22	
02/22, Add "60A705", dr			
03/19, Update: graphs, dr			
date: modification, name			


ICSB60A205B3SHRST22




ICSB60A215B3SHRST22




ICSB60A225B3SHRST22




ICSB60A235B3SHRST22




ICSB60A705B3SHRST22




ICSB10B205B3SHRST22




ICSB10B215B3SHRST22



ICSB10B225B3SHRST22




ICSB10B235B3SHRST22




Compliance: RohS II (2011/65/EU)

tolerances	knitter-inductive	Product Data-sheet	2 08 08
			page 7/8
	drawn: D. Rauschert, 02/19	Bead	
	approved: C.Schmid, 02/19		
04/22, Add "20B405", dr	ICSBxxxxxB3SHyST22		
02/22, Add "60A705", dr			
03/19, Update: graphs, dr			
date: modification, name			


ICSB15B205B3SHRST22




ICSB20B205B3SHRST22




ICSB20B405B3SHRST22




ICSB22B205B3SHRST22



ICSB25B205B3SHRST22



ICSB27B205B3SHRST22



Compliance: RohS II (2011/65/EU)

tolerances	knitter-inductive	Product Data-sheet	2 08 08
			page 8/8
	drawn: D. Rauschert	Bead	
	approved: C.Schmid		
04/22, Add "20B405", dr	Part Number	ICSBxxxxxB3SHyST22	
02/22, Add "60A705", dr			
03/19, Update: graphs, dr			
date: modification, name			